

**precision**  
refrigeration



**Price List**  
**Jan 2024**



When it comes to selecting professional refrigeration equipment, choosing Precision foodservice and back bar products, means choosing quality and reliability with a name you can trust.

Precision Refrigeration is an experienced international and independent manufacturer of professional refrigeration equipment for restaurants, pubs, clubs and hotel markets. Our products are supplied with a first-class service support you can rely on.

The products are designed and manufactured by our team of experts, and serviced by a global network of experienced engineers and business partners. By combining innovative R&D with practical solutions, we have created products that deliver what today's foodservice operators need.

Headquartered in the UK, Precision Refrigeration also has offices in China, the Middle East, and Australia to accommodate customers around the world. Precision also has manufacturing plants in the UK and China to serve our global customers quickly and locally.

**precision**  
refrigeration



# TABLE OF CONTENTS

- Top Mount Cabinets.....4
- Bottom Mount Cabinets .....8
- 670 Series GN1/1 Counters .....12
- 520 Series GN2/3 Counters .....18
- UnderCounters .....22
- Space Savers .....26
- Under Broiler Counters .....30
- Variable Temperature Drawer.....34
- Prep Counters .....38
- Space Saving Prep Counter .....42
- Wall Cabinets.....46
- Blast Chiller/Freezers .....50
- Bottle Coolers .....54
- Retro Refrigeration .....58
- Meat Ageing Cabinet .....62
- Terms & Conditions .....66

**PRECISION REFRIGERATION**  
**Stephenson Way**  
**Thetford**  
**Norfolk IP24 3RU**  
**United Kingdom**



**precision**  
refrigeration

## Top Mount Cabinets



Precision's durable all stainless steel top mount cabinets have been designed to provide commercial caterers with reliable, energy and cost efficient refrigerated storage solutions. Proudly made in the UK, these GN2/1 products are capable of meeting the highest demands of commercial kitchens all around the world.

## Top Mount Cabinets GN2/1 Upright Cabinets



	MPT 601	MPT 1401
<b>REFRIGERATOR -2 / +4°C</b>	<b>£3,060</b>	<b>£4,610</b>
	LPT 601	LPT 1401
<b>DEEP FREEZE -18 / -22°C</b>	<b>£3,785</b>	<b>£5,890</b>

### options and accessories

extra std nylon coated shelves / slides	per set	£100	£100
stainless steel shelves / slides - GN2/1	per set	£207	£207
extra shelf / pan slides	per pair	£50	£50
600 x 400 bakery racking with 20 pairs of tray slides per door	per cabinet	£1,469	£2,940
fish shelving - 8 x GN2/1 - 100mm deep - stainless steel pans & slides per section with slime trays	per cabinet	£1,682	£3,365
stainless steel back	per cabinet	£208	£416
left hand hinged door	per cabinet	£0	n/a
adjustable legs	per cabinet	£0	£0

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150

### Notes:

## Top Mount Cabinets



PT1401



PT601

### Key Features:

Stainless Steel Interior & Exterior

Designed To Operate In 43°C Ambient

Built-In Air Rear Duct For Even Temperature Distribution

R290 Hydrocarbon Refrigerant

Zero ODP Injected Polyurethane Insulation

-2 / +4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hot Gas Defrost

Door Locks Fitted As Standard

Rifle Bore Coated Evaporators

Ergonomic Flush Door Handle

Gastronorm Shelving System - Anti Tilt Slides

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Self Closing Doors

Heavy Duty Brake & Swivel Castors

Waste Heat Recovery Condensate Vaporiser System

### Options:

Extra Std Nylon Coated Shelves / Slides - GN2/1

Stainless Steel Shelves / Slides - GN2/1

Extra Shelf / Pan Slides

600 x 400 Bakery Racking - 20 Pairs Of Slides / Door

Fish Shelving - 8 x GN2/1 - 100mm Deep - Stainless Steel Pans & Slides per section with Slime Trays


Stainless Steel Back

Left Hand Hinged Door

Adjustable Legs

Precision Connect

# Model Specifications



Model	MPT601	LPT601	MPT1401	LPT1401
Type	Refrigerator	Freezer	Refrigerator	Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN2/1	GN2/1	GN2/1	GN2/1
Number of Shelves	4	4	8	8
Max Number of Shelves (100mm Spacing)	14	14	28	28
Temperature Range	-2 / +4°C	-18 / -22°C	-2 / +4°C	-18 / -22°C
Exterior WxDxH (mm)	720x860x2072	720x860x2072	1440x860x2072	1440x860x2072
Net Usable Volume (litres)	460	460	933	933
Weight (KG)	138	146	210	230
Refrigerant / GWP	R290 / 3	R290 / 3	R290 / 3	R290 / 3
Refrigeration Watts (+45°C Condensing)	373	498	964	735
Evaporating Temp	-10°C	-30°C	-10°C	-30°C
Heat Rejection Watts*	569	747	1446	1100
Noise Output (dBa)	67	69	73	74
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	1.3	2.7	4	3.5
Total Electrical Load - kW	0.30	0.62	0.92	0.81
Energy Consumption / 24hrs - kWh**	1.22	5	2.89	9.88
Energy Consumption / Year (AEC) - kWh**	445	1825	1055	3606
Energy Efficiency Class**	B	C	C	D

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:







**precision**  
refrigeration

## Bottom Mount Cabinets



Precision's durable all stainless steel cabinets have been designed to provide commercial caterers with reliable, energy and cost efficient refrigerated storage solutions. Proudly made in the UK, these slimline products are capable of meeting the highest demands of commercial kitchens all around the world - especially when space is at a premium.



**Bottom Mount Cabinets**  
**Slimline Cabinets**



**MPU 401**

**REFRIGERATOR -2 / +4°C**

**£3,025**

**LPU 401**

**DEEP FREEZE -18 / -22°C**

**£3,745**

**options and accessories**

extra std nylon coated shelves / slides	per set	£88
extra shelf / pan slides	per pair	£50
fish shelving - 7 x GN1/1 - 100mm deep - stainless steel pans & slides per section with slime trays	per cabinet	£1,267
stainless steel back	per cabinet	£208
left hand hinged door	per cabinet	£0
adjustable legs	per cabinet	£0

**Precision Connect**

Precision Connect system including 2 years cloud data hosting	per cabinet	£550
cloud data hosting - each additional year	per cabinet	£150

**Notes:**

## Bottom Mount Cabinets



PU401

### Key Features:

Stainless Steel Interior & Exterior

Designed To Operate In 43°C Ambient

Built-In Air Rear Duct For Even Temperature Distribution

R290 Hydrocarbon Refrigerant

Zero ODP Injected Polyurethane Insulation

-2 / +4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Door Locks Fitted As Standard

Rifle Bore Coated Evaporators

Ergonomic Flush Door Handle

Non Gastronorm Shelving System - (GN1/1 Pans Can Fit On Shelves) - Anti Tilt Slides

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Self Closing Door

Heavy Duty Brake & Swivel Castors

Waste Heat Recovery Condensate Vaporiser System



Non-Gastronorm Shelving System  
With Anti-Tilt Slides

### Options:

Extra Std Nylon Coated Shelves / Slides

Extra Shelf / Pan Slides

Fish Shelving - 7 x GN1/1 - 100mm Deep - Stainless Steel Pans & Slides per section with Slime Trays


Stainless Steel Back

Left Hand Hinged Door

Adjustable Legs

Precision Connect

# Model Specifications



Model	MPU401	LPU401
Type	Refrigerator	Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	418 x 530mm	418 x 530mm
Number of Shelves	3	3
Max Number of Shelves (100mm Spacing)	9	9
Temperature Range	-2 / +4°C	-18 / -22°C
Exterior WxDxH (mm)	600x705x1985	600x705x1985
Net Usable Volume (litres)	261	261
Weight (KG)	110	120
Refrigerant / GWP	R290 /3	R290 /3
Refrigeration Watts (+45°C Condensing)	373	495
Evaporating Temp	-10°C	-30°C
Heat Rejection Watts*	560	743
Noise Output (dBa)	68	69
Power	230 / 50 / 1	230 / 50 / 1
Running Amps	1.3	2.9
Total Electrical Load - kW	0.30	0.67
Energy Consumption / 24hrs - kWh**	1.14	6.03
Energy Consumption / Year (AEC) - kWh**	416	2201
Energy Efficiency Class**	C	E

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Counters 670 Series



Precision's 670 series counters are the culmination of years of experience and valued feedback to better meet our customers' needs. Improved energy efficiency, recyclability, and the flexibility to repair, reuse and upcycle, are all key features of the latest versions of these best selling counter products.

Flexible, stylish designed refrigerated counters that are built to last and highly recyclable.

Precision Refrigeration, the "go to" company for all your professional refrigeration needs.



## Counter Model Codes

### Refrigeration System:

- M - Meat -2/+2°C
- L - Freezer -18/-22°C
- C - Counter
- U - Self contained
- R - Remote

### Counter Size:


- 211 - 2 section GN1/1
- 311 - 3 section GN1/1
- 411 - 4 section GN1/1
- 223 - 2 section GN2/3
- 323 - 3 section GN2/3

### Configuration Codes:


- U - Unit/Service void
- D - Door
- H - Half (2) drawers
- T - Third (3) drawers

## Sample Configurations

MCU311-UDDD-865: Refrigerator counter, self contained, three section, GN1/1 configured from left to right: Left hand condensing unit followed by 3 x Doors. Height is 865mm, as this counter is on standard castors and has a standard worktop.



MCU323-DHTU-865: Refrigerator counter, self contained, three section, GN2/3 configured from left to right: Left hand service void followed by 1 x Door, 1 x Half Drawers & 1 x Third Drawers. Height is 865mm, as this counter is on standard castors and has a standard worktop.




### NOTES:

Locks - Locks are available as an optional extra on all counters door/drawers. These can be ordered and fitted once on site if required.

Remote - Remote counters are available upon request and will have same dimensions as self-contained models.

## Counter Options

### Counter Height Options



Standard Worktop	Castor / Leg Option	Biscuit Top
865mm	Standard Castors	845mm
848mm	Low Profile Castors	828mm
759mm	Levelling Feet	739mm
865mm	127.5mm Legs +/- 22.5mm	845mm
890mm	147.5mm Legs +/- 22.5mm	870mm
900mm	Standard Castors + Packers	880mm

\*In Asia, body height is reduced to 700mm and counters come on 150mm adjustable legs, reducing overall height to the industry standard of 850mm

### Countertop Pan Well / Raised Pan Grid Configurations



North to South Pan Configuration\*  
100mm Max Pan Depth



East to West Pan Configuration\*  
150mm Max Pan Depth

Model	Countertop Pan Well		Raised Pan Grid	
	Number of GN1/3 Pans	Work Surface Depth In Front of Pans	Number of GN1/3 Pans	Work Surface Depth In Front of Pans
MCU211	4	270mm	4	445mm
MCU311	7	270mm	5	445mm
MCU411	9	270mm	6	445mm

\* Other Pan Configurations Are Available. Please Contact The Factory

## Gastronorm Counters

670 Series

Standard - GN1/1



	MCU 211	MCU 311	MCU 411
REFRIGERATOR -2 / +4°C	£4,090	£4,750	£5,485

	LCU 211	LCU 311
DEEP FREEZE -18 / -22°C	£4,620	£5,380

### options and accessories

interior		2 section	3 section	4 section
shelf & slides	per set	£88	£88	£88
ST/ST shelf & slides	per set	£174	£174	£174
slides	per pair	£50	£50	£50

drawers		2 section	3 section	4 section
bank of 2 drawers - H - MCU only	per section	£705	£705	£705
bank of 3 drawers - T - MCU only	per section	£1,148	£1,148	£1,148
gastronorm pan bridging bar	each	£30	£30	£30

height options		2 section	3 section	4 section
biscuit top (height - 20mm)	per counter	£0	£0	£0
low profile castors (height - 17mm)	per counter	£0	£0	£0
levelling feet - plinth - (height - 106mm)	per counter	£0	£0	£0
adjustable legs (height 860-910mm)	per counter	£0	£0	£0
900mm counter height	per counter	£268	£268	£268

worktops		2 section	3 section	4 section
raised pan holder (1/4°C)	per counter	£1,167	£1,376	£1,560
number of GN1/3 pans*		4	5	6
worksurface depth		445	445	445
countertop well (1/4°C)	per counter	£984	£1,184	£1,374
number of GN1/3 Pans*		4	7	9
worksurface depth		270	270	270
insulated well/pan lid	per counter	£625	£676	£789
splash back 55mm - bolt-on	per counter	£311	£349	£383

other		2 section	3 section	4 section
right hand condensing unit	per counter	£156	£156	£156
door / drawer lock	per lock	£40	£40	£40
stainless steel back & unit housing	per counter	£268	£308	£350

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150	£150

#### Notes:

\*GN pans are not included

# Counters

## 670 - GN 1/1 Series - Self Contained

Precision's 670 series counters are the culmination of years of experience and valued feedback to better meet our customers' needs. Improved energy efficiency, recyclability, and the flexibility to repair, reuse and upcycle, are all key features of the latest versions of these best selling counter products.

Flexible, stylish designed refrigerated counters that are built to last and highly recyclable.

### Key Features:

Stainless Steel Interior & Exterior

Front Breathing & Venting Refrigeration System Designed To Operate In 43°C Ambient

"Ventless" Front Grill

-2 / +4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hi / Lo Audio Visual Temperature Alarms

Built-In Air Duct For Even Temperature Distribution

R290 Hydrocarbon Refrigerant

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Hot Gas Defrost

Rifle Bore Coated Evaporators & Condensers

Waste Heat Recovery Condensate Vaporiser System

Zero ODP Injected Polyurethane Insulation

Anti-Condensation Door Frame Heaters

GN 1/1 Shelving System

Heavy Duty Nylon Coated Shelves & Anti-Tilt Slides

Interchangeable Doors / Drawers

Self Closing Doors With Integrated Flush Handles

Front Mounted Hinges Plates

Removable Worktops


Heavy Duty Brake & Swivel Castors



MCU211-UDD-865



*Entire refrigeration system is removable for easy servicing/ replacement. The condensing unit can also be pulled forward without removing the whole system when side access isn't possible.*



*Front Breathing & Venting Refrigeration System - No side/ rear/top/bottom ventilation required - Perfect For Plinth Mount Applications*

### Options:

Door / Drawer Locks

Bank of 2 Drawers - H

Bank of 3 Drawers - T

Customised Worktops

"Biscuit Top" - Lowers Height By 20mm

Low Profile Castors - Lowers Height By 17mm

Levelling Feet (Plinth) - Lowers Height By 106mm

Adjustable Legs - Increases Height to 910mm Max


Stainless Steel Back / Splashback

Extra Shelves / Slides

Precision Connect



# Model Specifications



Model	MCU211	LCU211	MCU311	LCU311	MCU411
Type	Refrigerator	Freezer	Refrigerator	Freezer	Refrigerator
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN1/1	GN1/1	GN1/1	GN1/1	GN1/1
Number of Shelves	4	4	6	6	8
Max Number of Shelves (100mm Spacing)	10	10	15	15	20
Temperature Range	-2 / +4°C	-18 / -22°C	-2 / +4°C	-18 / -22°C	-2 / +4°C
Exterior WxDxH (mm)	1350x670x865	1350x670x865	1800x670x865	1800x670x865	2250x670x865
Net Usable Volume (litres)	168	168	251	251	351
Weight (KG)	115	120	145	150	185
Refrigerant / GWP	R290 /3	R290 /3	R290 /3	R290 /3	R290 /3
Refrigeration Watts (+45°C Condensing)	411	495	411	495	411
Evaporating Temp	-10°C	-30°C	-10°C	-30°C	-10°C
Heat Rejection Watts*	617	905	617	905	617
Noise Output (dBa)	60	75	60	75	60
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	0.8	3.0	0.8	3.0	0.8
Total Electrical Load - kW	0.18	0.69	0.18	0.69	0.18
Energy Consumption / 24hrs - kWh**	1.02	3.96	1.24	4.88	1.51
Energy Consumption / Year (AEC) - kWh**	372	1445	453	1781	551
Energy Efficiency Class**	A	C	A	C	A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Counters 520 Series



Precision's 520 series counters are the culmination of years of experience and valued feedback to better meet our customers' needs. Improved energy efficiency, recyclability, and the flexibility to repair, reuse and upcycle, are all key features of the latest versions of these best selling counter products.

At just 520mm deep, these refrigerated counters provide a practical and flexible solution when space is at a premium.

Flexible, stylish designed refrigerated counters that are built to last and highly recyclable.

## Gastronorm Counters

520 Series

Slimline - GN2/3



MCU 223

MCU 323

REFRIGERATOR -2 / +4°C

£4,090

£4,750

### options and accessories

interior		2 section	3 section
shelf & slides	per set	£88	£88
ST/ST shelf & slides	per set	£174	£174
slides	per pair	£50	£50
drawers		2 section	3 section
bank of 2 drawers - H - MCU only	per section	£705	£705
bank of 3 drawers - T - MCU only	per section	£1,148	£1,148
gastronorm pan bridging bar	each	£30	£30
height options		2 section	3 section
biscuit top (height - 20mm)	per counter	£0	£0
low profile castors (height - 17mm)	per counter	£0	£0
levelling feet - plinth - (height - 106mm)	per counter	£0	£0
adjustable legs (height 860-910mm)	per counter	£0	£0
900mm counter height	per counter	£268	£268
worktops		2 section	3 section
splash back 55mm - bolt-on	per counter	£311	£349
other		2 section	3 section
right hand condensing unit	per counter	N/A	N/A
door / drawer lock	per lock	£40	£40
stainless steel back & unit housing	per counter	£268	£308
Precision Connect			
Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150

\*GN pans are not included

# Counters

## 520 - GN 2/3 Series - Self Contained

Precision's 520 series counters are the culmination of years of experience and valued feedback to better meet our customers' needs. Improved energy efficiency, recyclability, and the flexibility to repair, reuse and upcycle, are all key features of the latest versions of these best selling counter products.

At just 520mm deep, these refrigerated counters provide a practical and flexible solution when space is at a premium.

### Key Features:

Stainless Steel Interior & Exterior

Front Breathing & Venting Refrigeration System Designed To Operate In 43°C Ambient

"Ventless" Front Grill

-2 / +4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hi / Lo Audio Visual Temperature Alarms

Built-In Air Duct For Even Temperature Distribution

R290 Hydrocarbon Refrigerant

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Hot Gas Defrost

Rifle Bore Coated Evaporators & Condensers

Waste Heat Recovery Condensate Vaporiser System

Zero ODP Injected Polyurethane Insulation

Anti-Condensation Door Frame Heaters

GN 2/3 Shelving System

Heavy Duty Nylon Coated Shelves & Anti-Tilt Slides

Interchangeable Doors / Drawers

Self Closing Doors With Integrated Flush Handles

Front Mounted Hinges Plates

Removable Worktops


Heavy Duty Brake & Swivel Castors



MCU323-UDDD-865



*Entire refrigeration system is removable for easy servicing/ replacement. The condensing unit can also be pulled forward without removing the whole system when side access isn't possible.*



*Front Breathing & Venting Refrigeration System - No side/rear/top/bottom ventilation required - Perfect For Plinth Mount Applications*

### Options:

Door / Drawer Locks

Bank of 2 Drawers - H

Bank of 3 Drawers - T

Customised Worktops

"Biscuit Top" - Lowers Height By 20mm

Low Profile Castors - Lowers Height By 17mm

Levelling Feet (Plinth) - Lowers Height By 106mm

Adjustable Legs - Increases Height to 910mm Max


Stainless Steel Back / Splashback

Extra Shelves / Slides

Precision Connect



# Model Specifications



Model	MCU223	MCU323
Type	Refrigerator	Refrigerator
Material	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN2/3	GN2/3
Number of Shelves	4	6
Max Number of Shelves (100mm Spacing)	10	15
Temperature Range	-2 / +4°C	-2 / +4°C
Exterior WxDxH (mm)	1350x520x865	1800x520x865
Net Usable Volume (litres)	116	174
Weight (KG)	110	125
Refrigerant / GWP	R290 /3	R290 /3
Refrigeration Watts (+45°C Condensing)	299	299
Evaporating Temp	-10°C	-10°C
Heat Rejection Watts*	449	449
Noise Output (dBa)	60	60
Power	230 / 50 / 1	230 / 50 / 1
Running Amps	1	1
Total Electrical Load - kW	0.23	0.23
Energy Consumption / 24hrs - kWh**	1.41	1.74
Energy Consumption / Year (AEC) - kWh**	515	635
Energy Efficiency Class**	A	B

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Under Counters



Proudly made in the UK, Precision's durable all stainless steel under counters have been designed to provide medium duty storage solutions for commercial kitchens all around the world.

These under counters are available in both refrigerated and deep freeze versions and are perfect for space optimisation, in even the smallest of kitchens.

## Under Counters

32°C Ambient



HPU 150

£1,795



HPU 152

£2,705



HPU 153

£3,065

REFRIGERATOR 1 / 4°C

LPU 150

£1,795

DEEP FREEZE -18 / -22°C

### options and accessories

shelf & clips	per set	£75	n/a	n/a
clips	per set	£37	n/a	n/a
stacking kit	per set	£170	n/a	n/a
castors (+62mm height)	per set	£126	£126	£126
left hand hinged door	per cabinet	£0	n/a	n/a

#### Notes:

This unit requires rear and top ventilation

## Under Counters



**HPU150**



**HPU152**



**HPU153**

Stainless Steel Interior & Exterior

Front Venting Refrigeration System

32°C Ambient Rated Product

R600a Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range (HPU) -18 /  
-22°C Freezer Temperature Range (LPU)

Electronic Controller With Easy Read LCD Screen

Off Cycle Defrost - Refrigerator

Manual Defrost - Freezer

Door / Drawer Locks Fitted As Standard

Integrated Flush Door Handle

Adjustable Pilaster Shelving System - Refrigerator

Fixed Plate Shelves - Freezer

Hi / Lo Audio Visual Temperature Alarms

Adjustable Levelling Feet At Front

Rollers At Rear For Easy Positioning

Waste Heat Recovery Condensate Vaporiser System  
(HPU)

Requires Small Ventilation Gap Above Unit

### Options:

Bank of 2 Drawers - (200/200mm) - HPU152

Bank of 3 Drawers - (150/150/150mm) - HPU153

Extra Shelves / Clips


Extra Shelf Clips

Castors - Increases Height By 62mm

Stacking Kit

Left Hand Hinged Door

# Model Specifications



Model	HPU150	HPU152	HPU153	LPU150
Type	Refrigerator	Refrigerator	Refrigerator	Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf / Drawer Size	480 x 360 480 x 310	N/A	N/A	495 x 425
Number of Shelves	2	N/A	N/A	2
Max Number of Shelves	2	N/A	N/A	2
Temperature Range	+1 / 4°C	+1 / 4°C	+1 / 4°C	-18 / -22°C
Exterior WxDxH (mm)	600x640x820	600x640x820	600x640x820	600x640x820
Internal Drawer Dimensions (mm)	N/A	430 x 340 x 270D	430 x 340 x 150D	N/A
Net Usable Volume (litres)	77	79	65	79
Weight (KG)	62	70	75	60
Refrigerant / GWP	R600a / 3	R600a / 3	R600a / 3	R600a / 3
Refrigeration Watts (+45°C Condensing)	307	307	307	113
Evaporating Temp	-19°C	-19°C	-19°C	-30°C
Heat Rejection Watts*	461	461	461	170
Noise Output (dBa)	55	55	55	55
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	0.6	0.6	0.6	0.6
Total Electrical Load - kW	0.14	0.14	0.14	0.14
Energy Consumption / 24hrs - kWh**	1.04	1.3	1.43	1.76
Energy Consumption / Year (AEC) - kWh**	380	475	522	642
Energy Efficiency Class**	A	A	B	A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:







**precision**  
refrigeration

## Space Savers



Proudly made in the UK, Precision's versatile all stainless steel space savers are perfect for space optimisation in commercial kitchens all around the world. This range of products offer high performance storage solutions in even the smallest of kitchens.

For example, our HSS 300 offers the same internal storage capacity as a traditional two door GN1/1 counter but with a 28% smaller footprint.

## Space Saving Solutions

43°C Ambient



	HSS 150	HSS 300	HUC 150
<b>REFRIGERATOR 1 / 4°C</b>	<b>£2,345</b>	<b>£3,395</b>	<b>£2,345</b>

	LSS 150	LSS 300	LUC 150
<b>DEEP FREEZE -18 / -22°C</b>	<b>£2,820</b>	<b>£4,135</b>	<b>£2,820</b>

<b>options and accessories</b>		<b>1 door</b>	<b>2 door</b>	<b>1 door</b>
shelf & slides GN1/1	per set	£88	£88	£88
ST/ST shelf & slides	per set	£174	£174	£174
slides	per set	£50	£50	£50
bank of 2 drawers (150/150mm depth) - H only	per section	£705	£705	£705
bank of 2 wide drawers (150/150mm depth) - H only	per cabinet	n/a	£1,288	n/a
castors (+62mm height)	per cabinet	£126	£126	£126
countertop pan well (1/4°C)	per cabinet	n/a	£956	n/a
number of GN1/3 pans*			4	
insulated well/pan lid	per cabinet	n/a	£607	n/a
stainless steel back	per cabinet	£268	£268	£268
left hand hinged door	per cabinet	£0	n/a	£0

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150	£150

#### Notes:

\*GN pans are not included

## Space Savers



**SS300**



**SS150**



**UC150**

### Key Features:

Stainless Steel Interior & Exterior

Designed To Operate In 43°C Ambient

Front Breathing & Venting Refrigeration System

GN 1/1 Shelving System

R290 Hydrocarbon Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hot Gas Defrost

Rifle Bore Coated Evaporators

Integrated Flush Door Handle

Gastronorm Shelving System - Anti Tilt Slides

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Self Closing Doors

Adjustable Levelling Feet At Front

Rollers At Rear For Easy Positioning

Waste Heat Recovery Condensate Vaporiser System

### Options:

Bank of 2 Drawers (150mm Depth, H only)

Bank of 2 Wide Drawers (150mm Depth, H only) - SS300

Countertop Pan Well - HSS300 - 4 x GN1/3 (150mm)

Insulated Hinged Lid For Countertop Pan Well

Castors - Increases Height by 62mm

Stainless Steel Back


Extra Std Nylon Coated Shelves / Slides - GN1/1

Stainless Steel Shelves / Slides - GN1/1

Left Hand Hinged Door (UC150 & SS150)

Precision Connect

# Model Specifications



Model	HUC150	LUC150	HSS150	LSS150	HSS300	LSS300
Type	Refrigerator	Freezer	Refrigerator	Freezer	Refrigerator	Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN1/1	GN1/1	GN1/1	GN1/1	GN1/1	GN1/1
Number of Shelves	2	2	2	2	4	4
Max Number of Shelves (100mm Spacing)	4	4	4	4	8	8
Temperature Range	+1 / 4°C	-18 / -22°C	+1 / 4°C	-18 / -22°C	+1 / 4°C	-18 / -22°C
Exterior WxDxH (mm)	650x620x815	650x620x815	445x745x860	445x745x860	865x745x860	865x745x860
Net Usable Volume (litres)	62	62	48	48	96	96
Weight (KG)	65	70	65	70	80	85
Refrigerant / GWP	R290 /3	R290 /3	R290 /3	R290 /3	R290 /3	R290 /3
Refrigeration Watts (+45°C Condensing)	373	208	373	208	373	495
Evaporating Temp	-10°C	-30°C	-10°C	-30°C	-10°C	-30°C
Heat Rejection Watts*	601	411	563	401	605	921
Noise Output (dBa)	60	58	58	58	67	68
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	1.4	1.5	1.4	1.5	1.5	2.7
Total Electrical Load - kW	0.32	0.35	0.32	0.35	0.35	0.62
Energy Consumption / 24hrs - kWh**	1.06	5.48	0.77	4.41	1.31	6.49
Energy Consumption / Year (AEC) - kWh**	387	2000	281	1610	478	2369
Energy Efficiency Class**	A	D	A+	D	A	E

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Under Broiler Counters



Precision Under Broiler Counters are designed to provide refrigerated storage, in an easy pull-out drawer format, under the chargrill or griddle within the cooking line. This reduces non productive time and congestion within the kitchen giving staff refrigerated storage exactly where it's needed.

Proudly made in the UK, these robust counters are capable of meeting the highest demands of commercial kitchens all around the world.



## Under Broiler Counters



	HUBC 411	HUBC 412	HUBC 422
<b>REFRIGERATOR 1 / 4°C</b>	<b>£6,305</b>	<b>£6,935</b>	<b>£7,545</b>

### options and accessories

single deep drawer in place of 2 drawers	per counter	£700	£700	£700
--	-------------	------	------	------


### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150	£150

#### Notes:

Plinth mount requires ventilation to rear  
 Designed to carry 150kg (evenly spread)

## Under Broiler Counters



**HUBC422-UHH**

### Key Features:

Stainless Steel Interior & Exterior

Front Breathing & Rear Venting Refrigeration System  
Designed To Operate In 43°C Ambient

GN 1/1 and/or GN 2/1 Drawer System

Left Hand Condensing Unit

R290 Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Off Cycle Defrost

Heat Resistant Worktop Designed To Carry Up To  
150kg (Evenly Spread)

Rifle Bore Coated Evaporators

Integrated Flush Door Handle

Gastronorm Sized Drawers

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect  
Compressor From Blocked Condensers

Heavy Duty Brake & Swivel Castors

Waste Heat Recovery Condensate Vaporiser System



**HUBC411-UHH**

### Options:

Single Deep Drawer In Place Of Bank Of 2 Drawers


Stainless Steel Back

Precision Connect

### Notes:

Ventilation At Rear Required When Plinth Mounted

# Model Specifications



Model	HUBC411	HUBC412	HUBC422
Type	Refrigerator	Refrigerator	Refrigerator
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Drawer Size	4 x GN1/1	2 x GN1/1 + 2 x GN2/1	4 x GN2/1
Maximum Pan Depth	100mm	100mm	100mm
Max Number of Shelves	N/A	N/A	N/A
Temperature Range	+1 / 4°C	+1 / 4°C	+1 / 4°C
Exterior WxDxH (mm)	1345x780x610	1670x780x610	1995x780x610
Net Usable Volume (litres)	71	104	139
Weight (KG)	110	140	170
Refrigerant / GWP	R290 /3	R290 /3	R290 /3
Refrigeration Watts (+45°C Condensing)	373	373	373
Evaporating Temp	-10°C	-10°C	-10°C
Heat Rejection Watts*	560	560	560
Noise Output (dBa)	60	60	60
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	1.2	1.2	1.2
Total Electrical Load - kW	0.28	0.28	0.28
Energy Consumption / 24hrs - kWh**	1.35	1.77	1.74
Energy Consumption / Year (AEC) - kWh**	493	646	635
Energy Efficiency Class**	A	B	B

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Variable Temperature Drawer



Precision variable temperature drawers are designed to provide flexible refrigerated or freezer storage at the flick of a switch. The single GN2/1 drawer format is perfect when space is at a premium and provides bulk storage in the heart of the kitchen...exactly where it's needed.

Proudly made in the UK, these robust refrigerated drawers are capable of meeting the highest demands of commercial kitchens all around the world.

## Variable Temperature Drawer



**VUBC 121**  
**£3,300**



**VUBC 121-2**  
**£6,190**

**VARIABLE -22 / +4°C**

### options and accessories

castors (+72mm height)	per cabinet	£126	£126
heat resistant worktop (increase height by 29mm and depth by 25mm)	per cabinet	£522	£522

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150

**Notes:**



# Variable Temperature Drawer



**VUBC 121**

## Key Features:

Stainless Steel Interior & Exterior

-22 / +4°C Variable Temperature Range

Can Be Operated As Refrigerator Or Freezer

Heavy-Duty GN 2/1 Drawer - 150mm Deep

Designed To Operate In 43°C Ambient

R290 Refrigerant

Drawer Base Insert (Removable) To Ensure Optimum Air Circulation

Zero ODP Injected Polyurethane Insulation

Electronic Controller With Easy Read LCD Screen

Hot Gas Defrost

Rifle Bore Coated Evaporators

Front Breathing, Rear & Side Venting Refrigeration System

Integrated Flush Door Handle

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Waste Heat Recovery Condensate Vaporiser System



**VUBC121-2**

*VUBC121 can be stacked as VUBC121-2*

## Options:


Castors - Increases Height By 72mm

Heat Resistant Worktop - Increases Height By 29mm & Depth To 700mm

Stacking Kit

Precision Connect

# Model Specifications



Model	VUBC121	VUBC121	VUBC121-2	VUBC121-2
Type	Multi-Use	If Tested as Refrigerator	Multi-Use	If Tested as Refrigerator
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Drawer Size	GN2/1	GN2/1	GN2/1	GN2/1
Maximum Pan Depth	150mm	150mm	150mm	150mm
Max Number of Shelves	N/A	N/A	N/A	N/A
Temperature Range	-22 / +4°C	-2 / +4°C	-22 / +4°C	-2 / +4°C
Exterior WxDxH (mm)	1100x675x380	1100x675x380	1100x675x760	1100x675x760
Net Usable Volume (litres)	53	53	106	106
Weight (KG)	70	70	140	140
Refrigerant / GWP	R290 / 3	R290 / 3	R290 / 3	R290 / 3
Refrigeration Watts (+45°C Condensing)	208	491	416	982
Evaporating Temp	-30°C	-10°C	-30°C	-10°C
Heat Rejection Watts*	409	758	818	1516
Noise Output (dBa)	75	75	75	75
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	1.4	1.4	2.8	2.8
Total Electrical Load - kW	0.32	0.32	0.64	0.64
Energy Consumption / 24hrs - kWh per drawer section**	2.57	0.90	2.57	0.90
Energy Consumption / Year (AEC) - kWh per drawer section**	938	329	938	329
Energy Efficiency Class per drawer section**	B	A	B	A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

\*\*\* 25Mm Ventilation Gap Required On Left & Rear Of Unit For Built-In Applications

\*\*\*\* Measurement Is With Drawer Base Insert

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet





**precision**  
refrigeration

## Prep Counters



Proudly made in the UK, Precision's prep counters provide convenient refrigerated storage for commercial kitchens all around the world.

Whether it be for salads, pizzas, sandwiches, tapas, desserts and much more, these prep counters are perfect for those who need to maintain their ingredients at safe temperatures all day long.

## Prep Counters



PPC 307



PPC 410

<b>REFRIGERATOR 1 / 4°C</b>		<b>£7,905</b>	<b>£8,390</b>
-----------------------------	--	---------------	---------------

### options and accessories

		3 door	4 door
door/drawer locks	each	£83	£83
bank of 2 drawers - H - (200/200mm depth)	per section	£705	£705
bank of 3 drawers - T - (100/130/130mm depth)	per section	£1,148	£1,148
GN 1/3 pan set	per set	£542	£775
stainless steel back	per cabinet	£534	£655

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150

#### Notes:

# Prep Counters



**PPC307-HHH**  
with optional drawers

## Key Features:

Stainless Steel Interior & Exterior

Rear Mounted 32°C Ambient Rated Refrigeration System Requires Rear & Top Ventilation

Full Width Rear Mounted Evaporator

Gentle Air Flow Over Top Of Pans

R290 Hydrocarbon Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hot Gas Defrost

Retractable Night Blind When Pans Not In Service

Rifle Bore Coated Evaporators

Integrated Flush Door Handle

Gastronorm GN1/3 Sized Pan Grid

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Heavy Duty Brake & Swivel Castors

Waste Heat Recovery Condensate Vaporiser System



**PPC410-DDD**



GN 1/3 Pan Layout

## Options:

Door/Drawer Locks

Bank of 2 Drawers - H - (200/200mm Depth)

Bank of 3 Drawers - T - (100/130/130mm Depth)


Stainless Steel Back

GN Pan Sets

Precision Connect



# Model Specifications



Model	PPC307	PPC410
Type	Refrigerator	Refrigerator
Material	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN1/1	GN1/1
Number of GN1/3 Pans Accepted (150mm Deep)	7	10
Number of Shelves	2	2
Temperature Range	+1 / 4°C	+1 / 4°C
Exterior WxDxH (mm)	1430x920x1085	1900x920x1085
Weight (KG)	150	240
Refrigerant / GWP	R290 / 3	R290 / 3
Refrigeration Watts (+45°C Condensing)	790	790
Evaporating Temp	-10°C	-10°C
Heat Rejection Watts*	1313	1326
Noise Output (dBa)	68	69
Power	230 / 50 / 1	230 / 50 / 1
Running Amps	4	4.1
Total Electrical Load - kW	0.92	0.94
Energy Consumption / 24hrs - kWh**	N/A	N/A
Energy Consumption / Year (AEC) - kWh**	N/A	N/A
Energy Efficiency Class**	N/A	N/A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Space Saving Prep Counter



Proudly made in the UK, Precision's Space Saver Prep Counter is perfect for smaller operations or where space is at a premium. This compact all stainless steel prep counter offers high performance cold prep and storage solutions in even the smallest of kitchens.

An insulated hinged lid is supplied as standard to reduce energy consumption and maintain safe food temperatures for longer periods.

## Space Saving Prep Counter



HSS 340 PREP

REFRIGERATOR 1 / 4°C

£4,800

### options and accessories

shelf & slides	per set	£88
bank of 2 drawers (150/150mm depth)	per section	£705
stainless steel back	per cabinet	£268
GN1/3 pan set	per set	£464

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550
cloud data hosting - each additional year	per cabinet	£150

#### Notes:

# Space Saving Prep Counter



HSS340-HH



HSS340

## Key Features:

Stainless Steel Interior & Exterior

Front Breathing & Venting 32°C Ambient Rated Refrigeration System

Pan Well Holds 6 x GN1/3 - 150mm Deep pans

Insulated Lid

R290 Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Hot Gas Defrost

Rifle Bore Coated Evaporators

Integrated Flush Door Handle

Stainless Steel Perforated Shelves - Anti Tilt Slides

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Self Closing Doors

72mm Castors

Waste Heat Recovery Condensate Vaporiser System

## Options:

Bank of 2 Drawers (150/150mm Depth)


Stainless Steel Back

Extra Std Stainless Steel Perforated Shelves / Slides

GN 1/3 Pan Set

Precision Connect

# Model Specifications



GN1/3 Pan Layout

Model	HSS340
Type	Refrigerator
Material	ST/ST Int/Ext
Shelf Size	507 x 482
Number of GN1/3 Pans Accepted (150mm Deep)	6
Number of Shelves	4
Max Number of Shelves (100mm Spacing)	8
Temperature Range	+1 / 4°C
Exterior WxDxH (mm)	1220x745x990
Weight (KG)	100
Refrigerant / GWP	R290 / 3
Refrigeration Watts (+45°C Condensing)	373
Evaporating Temp	-10°C
Heat Rejection Watts*	611
Noise Output (dBa)	69
Power	230 / 50 / 1
Running Amps	1.7
Total Electrical Load - kW	0.39
Energy Consumption / 24hrs - kWh**	N/A
Energy Consumption / Year (AEC) - kWh**	N/A
Energy Efficiency Class**	N/A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Wall Cabinets



Precision's durable all stainless steel GN1/1 wall cabinets have been designed to provide commercial caterers with reliable, energy and cost efficient refrigerated storage solutions when space is at a premium.

Proudly made in the UK, these wall cabinets provide practical and accessible refrigerated storage right where it's needed.

Heavy duty wall mounting kit is provided, however, the wall and fixings must be capable of carrying the fully loaded cabinet.



**Wall Cabinets**  
**Gastronorm GN1/1**



**HWU 211-UGG**

**REFRIGERATOR 1 / 4°C**

**£6,250**

**options and accessories**

solid doors (HWU211-UDD)	per cabinet	£0
shelf & slides	per set	£88
wall mounting brackets	per cabinet	£0

**Precision Connect**

Precision Connect system including 2 years cloud data hosting	per cabinet	£550
cloud data hosting - each additional year	per cabinet	£150

**Notes:**

# Wall Cabinet



**Optional Solid Door Version  
HWU211-UDD**



**Standard Glass Door Version  
HWU211-UGG**

## Key Features:

Stainless Steel Interior & Exterior

Front Breathing & Venting Refrigeration System

Designed To Operate In 43°C Ambient

R290 Hydrocarbon Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator Temperature Range

Electronic Controller With Easy Read LCD Screen

Automatic Off Cycle Defrost

Rifle Bore Coated Evaporators

Condensing Unit Safety System To Protect  
Compressor From Blocked Condensers

Integrated Flush Door Handle

Gastronorm GN1/1 Shelving System - Anti Tilt Slides

Interior LED Lights

Hi / Lo Audio Visual Temperature Alarms

Wall Mounting Kit Provided

Self Closing Glass Doors

Waste Heat Recovery Condensate Vaporiser System


## Options:

Solid Doors - HWU211-UDD

Extra Std Nylon Coated Shelves / Slides - GN1/1

Precision Connect

# Model Specifications



Model	HWU211
Type	Refrigerator
Material	ST/ST Int/Ext
Shelf Size	GN1/1
Number of Shelves	4
Max Number of Shelves (50mm Spacing)	18
Temperature Range	+1 / 4°C
Exterior WxDxH (mm)	1665x515x700
Net Usable Volume (litres)	136
Weight (KG)	110
Refrigerant / GWP	R290 / 3
Refrigeration Watts (+45°C Condensing)	373
Evaporating Temp	-10°C
Heat Rejection Watts*	419
Noise Output (dBa)	69
Power	230 / 50 / 1
Running Amps	1.3
Total Electrical Load - kW	0.30
Energy Consumption / 24hrs - kWh**	2.6
Energy Consumption / Year (AEC) - kWh**	949
Energy Efficiency Class**	C

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Blast Chiller/Freezer/ Thawing Cabinets



Proudly made in the UK, Precision's high performance, easy to use Blast Chiller / Freezer / Thawing Cabinets have been designed to provide energy efficient and reliable Chilling & Freezing solutions in commercial kitchens all around the world.

Available in under counter and reach-in models with capacities ranging from 15kg to 50kg per 90 minutes chilling or 240 minute freezing cycle. All models accommodate gastronorm GN1/1 pans.

## Blast Chiller / Freezer / Thawing Cabinets

			
	<b>PCF 15</b>	<b>PCF 40</b>	<b>PCF 50</b>
<b>CHILLER / FREEZER / THAWING CABINETS</b>	<b>£7,955</b>	<b>£11,460</b>	<b>£11,775</b>

### options and accessories

GN1/1 nylon coated shelf	each	£39	£39	£39
GN1/1 stainless steel shelf	each	£129	£129	£129
GN1/1 pan set (40mm deep)	per cabinet	£430	£1,433	£1,433
left hand hinged door	per cabinet	£0	£0	£0
adjustable legs	per cabinet	£0	£0	£0
stainless steel back	per cabinet	£327	£601	£601

#### Notes:

supplied with tray slides only

chilling cycle = 90°C to 3°C in 90 minutes

freezing cycle = 90°C to -18°C in 240 minutes

*all quoted times/weights depend on food product, water content and density*

## Blast Chiller/Freezer/Thawing Cabinets



PCF40/50



PCF15

### Key Features:

Stainless Steel Interior & Exterior

Intuitive Digital Control Panel

Blast Chill +90 To +3°C In 90 Minutes\*

Chill Store 0 / +3°C

Blast Freeze +90 To -18°C in 240 Minutes\*

Freeze Store -18 / -20°C

Choice Of Time Or Food Probe Control

Automatic Storage At End Of Each Blast Cycle

Automatic Defrost At End Of Each Blast Cycle

Thawing Mode For Controlled Defrosting Of Frozen Food

R452A Refrigerant

Zero ODP Injected Polyurethane Insulation

Ergonomic Flush Door Handle

Gastronorm Shelving System - Anti Tilt Slides

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Self Closing Door

Heavy Duty Brake & Swivel Castors

Automatic Condensate Vaporiser System

\*All Quoted Times/Weights Depend On Product, Water Content & Density

### Options:

Nylon Coated Shelves - GN1/1

Stainless Steel Shelves - GN1/1


GN1/1 Pan Set - 40mm Deep

Stainless Steel Back

Adjustable Legs



# Model Specifications



Model	PCF15	PCF40	PCF50
Type	Blast Chiller / Freezer	Blast Chiller / Freezer	Blast Chiller / Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	GN1/1	GN1/1	GN1/1
Pairs of Tray Slides Supplied	5	10	15
Max Number of Trays/Shelves (not supplied)	5	10	15
Temperature Range	+90 / +3°C   +90 / -18°C	+90 / +3°C   +90 / -18°C	+90 / +3°C   +90 / -18°C
Exterior WxDxH (mm)	720x820x870	720x820x1765	720x820x1765
Chilling / Freezing Capacity (kg)	15	40	50
Weight (KG)	85	180	185
Refrigerant / GWP	R452A / 2141	R452A / 2141	R452A / 2141
Refrigeration Watts (+45°C Condensing)	1686 / 560	2152 / 628	2620 / 829
Evaporating Temp	-5°C / -30°C	-5°C / -30°C	-5°C / -30°C
Heat Rejection Watts*	2872	3855	5159
Noise Output (dBa)	85	92	96
Power	230 / 50 / 1 13 Amp Supply	230 / 50 / 1 13 Amp Supply	230 / 50 / 1 16 Amp Supply
Running Amps	5.7 / 4.4	10.2 / 6.6	13 / 11
Total Electrical Load - kW	1.61	1.86	2.53
Energy Consumption / 24hrs - kWh**	N/A	N/A	N/A
Energy Consumption / Year (AEC) - kWh**	N/A	N/A	N/A
Energy Efficiency Class**	N/A	N/A	N/A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Bottle Coolers



Precision's Bottle Coolers combine great looks with the latest hassle free energy saving refrigeration technology. These cabinets make a stylish addition to any bar concept with numerous door finishes, as well as handle options, to compliment any interior decor.

These bar fridges are a high impact sales tool as well as being a solid, reliable piece of equipment with robust 32°C or 43°C ambient refrigeration systems. A matching 600mm wide Glass Froster is also available within this product range.

## Bottle Coolers



	BBS 600	BBS 900	BBS 1350	BBS 1850
<b>REFRIGERATOR 3 / 15°C</b>	<b>£1,770</b>	<b>£2,660</b>	<b>£3,685</b>	<b>£2,660</b>

### options and accessories

#### exterior

stainless steel (STD)	per cabinet	£0	£0	£0	£0
-----------------------	-------------	----	----	----	----

#### height

900mm (STD)	per cabinet	£0	£0	£0	n/a
845mm	per cabinet	£0	£0	£0	n/a
800mm	per cabinet	£137	£206	£274	n/a

#### doors

glass (STD)	per cabinet	£0	£0	£0	£0
solid	per cabinet	£0	£0	£0	£0
sliding glass (+30mm depth)	per cabinet	n/a	£786	£1,179	n/a
sliding solid (+30mm depth)	per cabinet	n/a	£786	£1,179	n/a

#### optional finishes - door and grill only

coloured plastisol	per cabinet	£96	£124	£144	£144
coloured "Rimex"	per cabinet	£632	£955	£1,273	£1,273
painted (any RAL colour)	per cabinet	£566	£708	£848	£848

#### tropicalised option - TBBS

43°C ambient - triple glazed glass	per cabinet	£530	£799	£1,111	n/a
------------------------------------	-------------	------	------	--------	-----

#### Precision Connect

Precision Connect system including	per cabinet	£550	£550	£550	£550
cloud data hosting - each additional	per cabinet	£150	£150	£150	£150

## Glass Froster



GFS 600

<b>GLASS FROSTER -10 / -22°C</b>	<b>£2,905</b>
----------------------------------	---------------

### options and accessories

As BBS 600 above - Solid hinged door only

#### Notes:

## Bottle Coolers



**BBS1850-GD**



**BBS900-GD**



**BBS1350-SD**

### Key Features:

Stainless Steel Exterior

Mirrored Stainless Steel Interior

Front Breathing & Venting Refrigeration System

Glass Doors As Standard

LED Lighting (6500K Daylight White)

Adjustable Perforated Stainless Steel Shelves

R600A / R290 Refrigerant

Zero ODP Polyurethane Insulation

+1/15°C Refrigerator Temperature Range

Electronic Controller With LED Display Discreetly Positioned Inside The Cabinet For Ease Of Access

Door Locks Fitted As Standard

Rifle Bore Coated Evaporators

Stylish "Hidden" Door Handle

Hi / Lo Audio Visual Temperature Alarms

Maintenance Free Condenser

Levelling Feet

Waste Heat Recovery Condensate Vaporiser System

### Options:

Solid Doors

Sliding Glass Doors +30mm Depth

Sliding Solid Doors +30mm Depth

Coloured Plastisol Steel Door and Grill

Coloured "Rimex" Steel Door and Grill

Painted Door and Grill (To Any RAL Number)

845mm Height


800mm Height

Exterior Cladding - Consult Factory

43°C Ambient "Tropicalised" Version - TBBS

Precision Connect

# Model Specifications



Model	BBS600	BBS900	BBS1350	BBS1850	GFS600
Type	Bottle Cooler	Bottle Cooler	Bottle Cooler	Bottle Cooler	Glass Froster
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size (mm)	350x502	311x400	311x400 and 311x450	350x502	350x502
Number of Shelves	2	4	6	4	2
Max Capacity (330ml Bottles)	137	194	309	326	N/A
Temperature Range	+1 / +15°C	+1 / +15°C	+1 / +15°C	+1 / +15°C	-18 / -22°C
Exterior WxDxH (mm)	600x500x900	900x500x900	1350x500x900	600x500x1850	600x500x900
Weight (KG)	55	71	95	95	55
Refrigerant / GWP	R600a / 3	R600a / 3	R600a / 3	R600a / 3	R290 / 3
Refrigeration Watts (+45°C Condensing)	307	307	307	307	208
Evaporating Temp	-10°C	-10C	-10°C	-10°C	-30°C
Heat Rejection Watts*	461	461	461	461	438
Noise Output (dBA)	56	56	56	56	56
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	0.7	0.7	0.7	0.7	1.5
Total Electrical Load - kW	0.16	0.16	0.16	0.16	0.35
Energy Consumption / 24hrs - kWh**	0.96	1.36	1.43	1.51	N/A
Energy Consumption / Year (AEC) - kWh**	350	496	522	551	N/A
Energy Efficiency Class**	D	D	D	D	N/A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:







**precision**  
refrigeration

## Retro Refrigeration



On the inside, a modern professional refrigerator with the latest energy-efficient features and perfect temperature control. On the outside, vintage retro styling that makes a striking focal point of any bar or kitchen. Its cutting edge technology perfectly combined with classic vintage looks.

Like every Precision product, the Retro range boasts a host of features that are either aesthetically stunning, hugely practical, or both. Give us a RAL number and we'll paint your retro refrigerator to match any colour you can dream of.



## Retro Refrigeration Uprights

Retro Looks - Modern Technology



**HRU1**  
**£6,190**



**HRU2**  
**£9,010**

**REFRIGERATOR -2 / +4°C**

**REFRIGERATOR / FREEZER 1/4°C & -18/-22°C**

**HLRU2**  
**£10,725**

### options and accessories

clear or reeded glass doors - 3/4 door	per door	£677	£677
clear or reeded glass doors - 1/2 door (not available for freezer section)	per door	n/a	£516
meat ageing option - humidity control*	per cabinet	£1,701	£1,985
meat hanging rail	each	£236	£457
painted to any RAL colour	per cabinet	£1,391	£2,546

### Precision Connect

Precision Connect system including 2 years cloud data hosting	per cabinet	£550	£550
cloud data hosting - each additional year	per cabinet	£150	£150

#### Notes:

\* Controller mounted behind bottom grill with this option

## Retro Refrigeration - Uprights



**HRU2 - Solid Doors**

### Key Features:

Stainless Steel Interior & Exterior

Bottom Mounted Refrigeration System Designed To Work In 43°C Ambient

Built-In Air Rear Duct For Even Temperature Distribution

R290 Refrigerant

Zero ODP Injected Polyurethane Insulation

+1 / 4°C Refrigerator & -18 / -22°C Freezer Temperature Range

Electronic Controller With LED Display Discreetly Positioned Inside The Cabinet For Ease Of Access

Automatic Defrost

Rifle Bore Coated Evaporators

Retro Styled Ultra Heavy Duty Chrome Handles & Hinges

LED Lighting (6500K Daylight White)

Adjustable Perforated Stainless Steel Shelves

Hi / Lo Audio Visual Temperature Alarms

Condensing Unit Safety System To Protect Compressor From Blocked Condensers

Adjustable Legs Covered By Colour Coded Covers



**Retro Handles**



**Painted Unit**



**Reeded Glass Option**

### Options:

Glass Doors - Clear or Reeded Glass

Castors (No Covers)

Freezer Compartment In Bottom Left Section




Painted Exterior (To Any RAL Colour)

Meat Hanging Rail

Meat Ageing Model

Precision Connect

# Model Specifications



HRU1

HRU2/HLRU2

Model	HRU1	HRU2	HLRU2
Type	Refrigerator	Refrigerator	Refrigerator / Freezer
Material	ST/ST Int/Ext	ST/ST Int/Ext	ST/ST Int/Ext
Shelf Size	455x448	525x443 and 455x448	525x443 & 455x448
Number of Shelves	4	7	6
Temperature Range	+1/4°C	+1/4°C	+1/4°C & -18/-22°C
Exterior WxDxH (mm)	600x745x2005	1200x745x2005	1200x745x2005
Net Usable Volume (litres)	240	588	255 & 128
Weight (KG)	110	200	215
Refrigerant / GWP	R290 / 3	R290 / 3	R290 / 3
Refrigeration Watts (+45°C Condensing)	411	393	393 / 208
Evaporating Temp	-10°C	-10°C	-10°C / -30°C
Heat Rejection Watts*	638	590	590 / 312
Noise Output (dBa)	58	62	77
Power	230 / 50 / 1	230 / 50 / 1	230 / 50 / 1
Running Amps	0.88	1.35	3
Total Electrical Load - kW	0.20	0.31	0.69
Energy Consumption / 24hrs - kWh**	1.34	2.94	N/A
Energy Consumption / Year (AEC) - kWh**	489	1073	N/A
Energy Efficiency Class**	C	D	N/A

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:





**precision**  
refrigeration

## Speciality Cabinets Meat Ageing

Precision brings to you the very best in Meat Ageing solutions.

Meat Ageing Refrigerator: A perfect temperature and humidity environment for all your meat ageing needs. Temperature can be accurately set from 1/4°C with humidity between 70-90%. Hanging rail, 3 shelves, Himalayan Rock Salt are all supplied as standard.

The stainless steel construction provides not just a hygienic solution, but a professional look that can be used back or front of house as the perfect meat ageing tool. It can also be perfectly paired with one of our cheese maturing or wine cabinets.



## Meat Ageing Cabinet



MA600-1950

REFRIGERATOR +1 / +4°C

£5,590

### options and accessories

stainless steel (STD)	per cabinet	£0
painting (any RAL number)	per cabinet	£1,391

# Meat Ageing Cabinet



**Controller**

## Meat Ageing Refrigerator - Key Features:

Stainless Steel Interior & Exterior

+1 / 4°C Temperature Range

70-90% Humidity (In A Test Environment At +4°C)

Meat Hanging Rail

3 x Perforated Stainless Shelves

Himalayan Rock Salt

Glass Door With LED Lighting (6500K Daylight White)

Electronic Controller With Easy Read LCD Screen

Door Locks Fitted As Standard

Hi / Lo Audio Visual Temperature Alarms

Waste Heat Recovery Condensate Vaporiser System

Front Breathing / Venting - Can Be Built-In

## Options:


Painted Exterior (To Any RAL Colour)



**MA600-1950**



# Model Specifications



Model	MA600-1950
Type	Meat Ager
Material	ST/ST Int/Ext
Shelf/Rack Size (mm)	350 x 520
Number of Shelves	3
Meat Hanging Rails	1
Temperature Range	+1 / 4°C
Humidity Range	70 / 90%
Exterior WxDxH (mm)	600x500x1950
Weight (KG)	133
Refrigerant / GWP	R600a / 3
Refrigeration Watts (+45°C Condensing)	307
Evaporating Temp	-10°C
Heat Rejection Watts*	466
Noise Output (dBa)	58
Power	230 / 50 / 1
Running Amps	1.2
Total Electrical Load - kW	0.28

\* Heat Rejection is taken at the listed evaporating and condensing condition. Watts is calculated using total power of the cabinet.

\*\* Tested to BS EN ISO 22041

We are constantly innovating and improving our products. Please scan QR code for the most up-to-date version of this spec sheet:



## General Terms and Conditions

Your attention is drawn in particular to the provisions of clause 9.

### 1. INTERPRETATION

1.1 Definitions. In these Terms, the following definitions apply:

#### Business Day

A day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

#### Contract

The contract between Us and You for the sale and purchase of the Goods in accordance with these Terms.

#### Customer/You/Your

The person or firm who orders or agrees to purchase the Goods from Us.

#### Delivery Terms

Our delivery terms and conditions as amended from time to time.

#### Goods

The goods (or any part of them), including Spare Parts, manufactured by Precision and bearing a Precision model number and serial number.

#### Non Standard Goods

Any customised good including Remotes, products which are painted or made with different finishes, products configured with options or accessories that are either not listed in our published price list or an adaptation of those which are listed.

#### Month

A calendar month.

#### Precision/We/Us/Our

Precision Refrigeration Limited of Stephenson Way, Thetford, Norfolk, IP24 3RU.

#### Spare Part

any replacement original part or component used to maintain or repair Our Goods.

#### Specification

Any specification for the Goods, including any related plans and drawings, that is agreed by You and Us.

#### Terms and Conditions

Our terms and conditions, as amended from time to time.

#### UK Orders

Orders for Goods which are to be delivered to and for use in mainland United Kingdom

#### Warranty Terms

Our warranty terms and conditions as amended from time to time.

1.2 Construction. In these Terms, the following rules apply:

1.2.1 A person includes a natural person, corporate or unincorporated body (whether or not having separate legal personality).

1.2.2 A reference to a party includes its personal representatives, successors or permitted assigns.

1.2.3 A reference to a statute or statutory provision is a reference to such statute or provision as amended or re-enacted. A reference to a statute or statutory provision includes any subordinate legislation made under that statute or statutory provision, as amended or re-enacted.

1.2.4 Any phrase introduced by the terms including, include, in particular or any similar expression shall be construed as illustrative and shall not limit the sense of the words preceding those terms.

1.2.5 A reference to writing or written includes e-mails.

### 2. BASIS OF CONTRACT

2.1 Subject to the Delivery Terms and Warranty Terms, these Terms apply to the Contract to the exclusion of any other terms that You seek to impose or incorporate, or which are implied by trade, custom, practice or course of dealing.

2.2 The Order constitutes an offer by You to purchase the Goods in accordance with these Terms. You are responsible for ensuring that the terms of the Order and any applicable Specification are complete and accurate.

2.3 The Order shall only be deemed to be accepted when We issue a written acceptance of the Order, at which point the Contract shall come into existence.

2.4 The Contract constitutes the entire agreement between the parties. You acknowledge that You have not relied on any statement, promise, representation, assurance or warranty made or given by or on behalf of Us which is not set out in the Contract.

2.5 Any samples, drawings, descriptive matter, or advertising produced by Us and any descriptions or illustrations contained in Our catalogues or brochures are produced for the sole purpose of giving an approximate idea of the Goods described in them. They shall not form part of the Contract or have any contractual force.

2.6 A quotation for the Goods given by Us shall not constitute an offer. A quotation may be withdrawn without notice and in any event shall only be valid for a period of 30 days from its date of issue.

### 3. GOODS

3.1 The Goods are described in Our catalogue from time to time as modified by any applicable Specification.

3.2 You shall indemnify Us against all liabilities, costs, expenses, damages and losses (including any direct, indirect or consequential losses, loss of profit, loss of reputation and all interest, penalties and legal and other professional costs and expenses) suffered or incurred by Us in connection with any claim made against Us for actual or alleged infringement of a third party's intellectual property rights arising out of or in connection with Our use of the Specification. This clause 3.2 shall survive termination of the Contract.

3.3 We reserve the right to amend the specification of the Goods if required by any applicable statutory or regulatory requirements.

### 4. DELIVERY

4.1 The provisions set out in this clause 4 shall be subject to the Delivery Terms.

4.2 Each delivery of Goods shall be accompanied by a delivery note which shows all relevant Customer and Supplier reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered.

4.3 We shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (Delivery Location) at any time after We notify You that the Goods are ready.

4.4 Delivery of the Goods shall be completed on the Goods' arrival at the Delivery Location.

4.5 You shall be responsible for ensuring

that You have sufficient resources and manpower at the Delivery Location, at Your own risk and cost.

4.6 If You require notification in advance of the arrival time of the Goods, this must be stated in the Order and agreed by Us in advance in writing.

4.7 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence unless specified in writing. We shall not be liable for any delay in delivery of the Goods, or failure to deliver the Goods, that is caused by a Force Majeure Event or Your failure to provide Us with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods, or if You fail to notify Us in writing within 6 days of receipt of an invoice.

4.8 Orders for Spare Parts shall be sent by a next Business Day delivery courier service, provided that the Order is placed by 1pm GMT, and provided that the part is in stock.

4.9 If an Order for Spare Parts is placed after 1pm GMT, the Spare Part shall be sent by a next Business Day delivery courier service on the next Business Day, provided that the part is in stock.

4.10 If an Order for Spare Parts is placed and the part is not in stock, You will be notified of this in writing and the part will be delivered as soon as is reasonably practicable.

4.11 We may deliver the Goods in separate deliveries, which shall be invoiced and paid for separately. Each individual delivery shall constitute a separate Contract. Any delay in delivery or defect in any one delivery shall not entitle You to cancel any other instalment.

4.12 Without prejudice to any other of Our rights hereunder, if at the quoted date of delivery all instructions reasonably required by Us and all necessary documents for the forwarding of the Goods are not available, if You shall otherwise cause or request delay, or if You are unable or unwilling to accept delivery of the Goods, You shall pay to Us on demand all storage, delivery and other relevant costs. Current storage rates are £8 per item per week.

4.13 Unless otherwise agreed between the parties in writing, all costs and expenses of transportation from Our stores to the Delivery Location shall be paid for by You in accordance with Our standard delivery charges as in force at the time of delivery.

4.14 You are responsible for any delivery costs associated with returning the Goods to us under the Warranty Terms.

4.15 If Goods are being returned to Us for breach of the warranty where We are liable for the same, as set out in the Warranty Terms, We shall be responsible for any delivery costs in returning the Goods to You, if applicable.

4.16 We shall not be responsible for any incidental or consequential damage whatsoever.

### 5. QUALITY

5.1 Subject to the Warranty Terms, for UK Orders only, We warrant that on delivery, and for a period of 24 months from the date of delivery (warranty period), the Goods shall:

5.1.1 conform in all material respects with their description and any applicable Specification;

5.1.2 be free from material defects in design, material and workmanship; and

5.1.3 be of satisfactory quality (within the meaning of the Sale of Goods Act 1979).

- 5.2 Subject to clause 5.3, if:
- 5.2.1 You give notice in writing to Us during the warranty period within 10 Business Days of discovery that some or all of the Goods do not comply with the warranty set out in clause 5.1;
- 5.2.2 We are given a reasonable opportunity of examining such Goods; and
- 5.2.3 You (if asked to do so by Us) return such Goods to Our place of business at Your cost,  
We shall, at Our option, repair or replace the defective Goods, or refund the price of the defective Goods in full.
- 5.3 We shall not be liable for Goods' failure to comply with the warranty set out in clause 5.1 in any of the following events:
- 5.3.1 the damage, defect or deterioration arises in respect of consumable items including, but not limited to, lights and gaskets;
- 5.3.2 You make any further use of such Goods after giving notice in accordance with clause 5.2.1;
- 5.3.3 the defect arises because You failed to follow Our oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same;
- 5.3.4 the defect arises as a result of Us following any drawing, design or Specification supplied by You;
- 5.3.5 You alter or repair such Goods, or authorise a third party to alter or repair such Goods, without Our written consent;
- 5.3.6 the defect arises as a result of accidental damage, fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions;
- 5.3.7 the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements;
- 5.3.8 the damage, defect or deterioration arises as a result of fire, lightning, flood or act of God;
- 5.3.9 the damage, defect or deterioration arises as a result of failure to maintain and service the Goods in accordance with Our operating manuals, as supplied with the Goods on delivery;
- 5.3.10 the damage, defect or deterioration arises as a result of repairs made using Spare Parts which were not manufactured by Us; or
- 5.3.11 the Goods are second hand.
- 5.4 We shall determine the cause and liability for the Goods' failure to comply with the warranty set out in clause 5.1
- 5.5 We shall at Our discretion perform a test, inspection or other examination of the Goods to be supplied under the Contract. If the Goods satisfy such test, inspection or examination they shall be deemed to be of the quality specified in the Contract.
- 5.6 We shall not be liable for defects, damage or deterioration in the Goods which are apparent on inspection unless You give written notice to Us of the alleged defects within 3 Business Days from the date of delivery of the Goods. On being so notified We shall have the right to inspect the Goods before You use or sell them in the ordinary course of Your business provided that We do so within 14 Business Days of receipt of notice from You.
- 5.7 We shall not be liable for defects in the Goods which are not apparent on inspection unless You give written notice to Us of the alleged defects within 30 days of the date of delivery of the Goods. On being so notified We shall have the right to inspect and test the Goods before You use or sell the Goods in Your ordinary course of business, provided that We do so within a reasonable time considering the nature of the defect alleged.
- 5.8 Except as provided in this clause 5, We shall have no liability to You in respect of the Goods' failure to comply with the warranty set out in clause 5.1.
- 5.9 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Contract.
- 5.10 These Terms shall apply to any repaired or replacement Goods supplied by Us.
- 5.11 Any warranties contained herein or implied by law apply to the original Customer only and are not transferable.
- 5.12 No other warranty as to fitness for particular purpose, even if such purpose is known to Us, or of satisfactory quality shall apply to the supply of Goods by Us.
- 5.13 If You re-sell the Goods, You shall supply the buyer with a copy of Our Warranty Terms.
- 6. TITLE AND RISK**
- 6.1 The risk in the Goods shall pass to You on completion of delivery.
- 6.2 Title to the Goods shall not pass to You until We receive payment in full (in cash or cleared funds) for the Goods and any other goods that We have supplied to You in respect of which payment has become due. Title to the Goods shall pass at the time of payment of all such sums.
- 6.3 Until title to the Goods has passed to You, You shall:
- 6.3.1 store the Goods separately from all other goods held by You so that they remain readily identifiable as Our property;
- 6.3.2 not remove, deface or obscure any identifying mark or packaging on or relating to the Goods;
- 6.3.3 maintain the Goods in satisfactory condition and keep them insured against all risks for their full price from the date of delivery;
- 6.3.4 notify Us immediately if it becomes subject to any of the events listed in clause 8.3;
- 6.3.5 give Us such information relating to the Goods as We may require from time to time; and
- 6.3.6 accept liability for any loss of or damage to or deterioration of the Goods from whatever cause from the date of delivery.
- 6.4 Subject to clause 6.5, You may resell or use the Goods in the ordinary course of Your business (but not otherwise) before We receive payment for the Goods. However, if You resell the Goods before that time:
- 6.4.1 You do so as principal and not as Our agent; and
- 6.4.2 title to the Goods shall pass from Us to You immediately before the time at which resale by You occurs.
- 6.5 If before title to the Goods passes to You, You become subject to any of the events listed in clause 8.3, then, without limiting any other right or remedy We may have:
- 6.5.1 Your right to resell the Goods or use them in the ordinary course of Your business ceases immediately; and
- 6.5.2 We may at any time:
- (a) require You to deliver up all Goods in its possession which have not been resold, or irrevocably incorporated into another product; and
- (b) if You fail to do so promptly, enter any of Your premises or those premises of any third party where the Goods are stored in order to recover them.
- 7. PRICE AND PAYMENT**
- 7.1 The price of the Goods shall be the price set out in the Order, or, if no price is quoted, the price set out in Our published price list in force as at the date of delivery.
- 7.2 We may, by giving notice to You at any time before delivery, increase the price of the Goods to reflect any increase in the cost of the Goods that is due to:
- 7.2.1 any factor beyond Our control (including foreign exchange fluctuations, increases in taxes and duties, and increases in labour, materials and other manufacturing costs);
- 7.2.2 any request by You to change the delivery date(s), quantities or types of Goods ordered, or the Specification; or
- 7.2.3 any delay caused by any instructions of You or failure of You to give Us adequate or accurate information or instructions.
- 7.3 We may invoice You for the Goods on or at any time after the completion of delivery.
- 7.4 Unless otherwise agreed between You and Us, You shall pay the invoice in full and in cleared funds by the end of the month following the month the invoice was dated. Payment shall be made to the bank account nominated in writing by Us. Time of payment is of the essence.
- 7.5 If delivery of any Goods is delayed at Your request, We shall give notice in writing to You of when the Goods will be available for delivery and You shall pay for Goods at the end of the month following the month when they receive such notice and the risk of such Goods shall pass to You on the date of the giving of such notice by Us. You shall pay Our storage costs for such Goods.
- 7.6 If You fail to make any payment due to Us under the Contract by the due date for payment, then You shall pay interest on the overdue amount at the rate of 2.5% per month. Such interest shall accrue on a daily basis from the due date until actual payment of the overdue amount, whether before or after judgment. You shall pay the interest together with the overdue amount.
- 7.7 You shall pay all amounts due under the Contract in full without any set-off, counterclaim, deduction or withholding (except for any deduction or withholding required by law). We may at any time, without limiting any other rights or remedies it may have, set off any amount owing to it by You against any amount payable by Us to You.
- 8. TERMINATION AND SUSPENSION**
- 8.1 We may terminate the Contract by giving 7 days writing in notice to You.
- 8.2 If You become subject to any of the events listed in clause 8.3, We may terminate the Contract with immediate effect by giving written notice to You.
- 8.3 For the purposes of clause 8.2, the relevant events are:
- 8.3.1 You suspend, or threaten to suspend, payment of Your debts, or are unable to pay Your debts as they fall due or admit inability to pay Your debts, or (being a company or limited liability partnership) are deemed unable to pay Your debts within the meaning of section 123 of the Insolvency Act 1986, or (being a partnership) has any partner to whom any of the foregoing apply;
- 8.3.2 You commence negotiations with all or any class of Your creditors with a view to rescheduling any of its debts, or make a proposal for or enters into any compromise or arrangement with Your creditors;
- 8.3.3 (being a company) a petition is filed, a notice is given, a resolution is passed, or an order is made, for or in connection with the winding up of You;
- 8.3.4 (being a company) an application is made to court, or an order is made, for the appointment of an administrator or if a notice of intention to appoint an administrator is given or if an administrator

- is appointed over You;
- 8.3.5 (being a company) the holder of a qualifying floating charge over Your assets has become entitled to appoint or has appointed an administrative receiver;
- 8.3.6 a person becomes entitled to appoint a receiver over Your assets or a receiver is appointed over Your assets;
- 8.3.7 a creditor or encumbrancer of You attaches or takes possession of, or a distress, execution, sequestration or other such process is levied or enforced on or sued against, the whole or any part of its assets and such attachment or process is not discharged within 14 days;
- 8.3.8 any event occurs, or proceeding is taken, with respect to You in any jurisdiction to which You are the subject that has an effect equivalent or similar to any of the events mentioned in clause 8.3.1 to clause 8.3.6 (inclusive);
- 8.3.9 You suspend, threaten to suspend, cease or threaten to cease to carry on all or a substantial part of Your business; and
- 8.3.10 Your financial position deteriorates to such an extent that in Our opinion Your capability to adequately fulfil Your obligations under the Contract has been placed in jeopardy.
- 8.4 Without limiting Our other rights or remedies, We may suspend provision of the Goods, re-take possession of the Goods and may demand prepayment of the price of the Goods under the Contract or any other contract between You and Us if You become subject to any of the events listed in clause 8.3.1 to clause 8.3.10, or We reasonably believe that You are about to become subject to any of them, or if You fail to pay any amount due under this Contract on the due date for payment.
- 8.5 On termination of the Contract for any reason You shall immediately pay to Us all of Our outstanding unpaid invoices and interest.
- 8.6 Termination of the Contract, however arising, shall not affect any of the parties' rights, remedies, obligations and liabilities that have accrued as at termination.
- 8.7 In addition to Our statutory rights, if any of the events set out in clause 8.3 occur We shall be entitled to a general lien on all Goods of Yours in Our possession for the unpaid price of any Goods sold and delivered to You by Us, and payment in respect of any Goods in Your possession shall become immediately due and payable notwithstanding any previous agreement or arrangement to the contrary.
- 8.8 Clauses which expressly or by implication survive termination of the Contract shall continue in full force and effect.
- 9. CANCELLATION**
- 9.1 You may cancel the Order in whole or in part by giving written notice to Us. We may in Our discretion accept the notice of cancellation.
- 9.2 Should We accept the notice of cancellation in accordance with clause 9.1 You shall indemnify Us in respect of any and all losses, costs and expenses incurred by Us from the date of the Order to the date upon which We accept the notice of cancellation.
- 9.3 We reserve the right to charge on demand a reasonable cancellation charge.
- 9.4 Cancellation of non-standard Goods will be non-refundable and charged at 100% of the invoice value of the Goods.
- 10. RETURNS**
- 10.1 Subject to the Warranty Terms:
- 10.1.1 the return of Goods will be at Our absolute discretion;
- 10.1.2 should We accept the return of the Goods we will notify You in writing and issue You with a return number;
- 10.1.3 should We accept the return of the Goods, You will be responsible for the costs of returning the Goods to Us;
- 10.1.4 subject to the provisions of this clause 10, should We accept the return of the Goods We will refund You the price You paid for the Goods, provided that they are returned in the same condition as they were delivered to You.
- 11. LIMITATION OF LIABILITY**
- 11.1 Nothing in these Terms shall limit or exclude Our liability for:
- 11.1.1 death or personal injury caused by Our negligence, or the negligence of Our employees, agents or subcontractors (as applicable);
- 11.1.2 fraud or fraudulent misrepresentation;
- 11.1.3 breach of the terms implied by section 12 of the Sale of Goods Act 1979;
- 11.1.4 defective products under the Consumer Protection Act 1987; or
- 11.1.5 any matter in respect of which it would be unlawful for Us to exclude or restrict liability.
- 11.2 Subject to clause 11.1:
- 11.2.1 We shall under no circumstances whatever be liable to You, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, for any loss of profit, or any indirect or consequential loss arising under or in connection with the Contract; and
- 11.2.2 Our total liability to You in respect of all other losses arising under or in connection with the Contract, whether in contract, tort (including negligence), breach of statutory duty, or otherwise, shall in no circumstances exceed 100% of the price of the Goods.
- 12. FORCE MAJEURE**
- We shall not be liable for any failure or delay in performing Our obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.
- 13. INFORMATION**
- 13.1 All information, relating to the construction, assembly, use, storage or disposal of the Goods made available to You at any point (Information) shall be supplied by You to any person to whom You resell the Goods to, or any product in which the Goods are incorporated and You shall require that person to do the same in the event that they resell the Goods or any product in which the Goods are incorporated.
- 13.2 You shall indemnify Us in full against any and all liabilities, costs, expenses and claims arising out of any failure by any person other than Us to make such Information available to any other person.
- 14. DISPUTE RESOLUTION**
- 14.1 If a dispute arises out of or in connection with this agreement or the performance, validity or enforceability of it (Dispute) then the parties shall follow the procedure set out in this clause:
- 14.1.1 Either party shall give to the other written notice of the Dispute, setting out its nature and full particulars (Dispute Notice) together with relevant supporting documents. On service of the Dispute Notice the parties shall attempt in good faith to resolve the Dispute;
- 14.1.2 If the parties are for any reason unable to resolve the Dispute within 30 days of service of the Dispute Notice, the parties will attempt to settle it by mediation in accordance with the CEDR Model Mediation Procedure. Unless otherwise agreed between the parties, the mediator shall be nominated by CEDR Solve. To initiate the mediation a party must serve notice in writing (ADR Notice) to the other party to the Dispute, requesting a mediation. A copy of the ADR Notice should be sent to CEDR Solve. The mediation will start no later than 30 days after the date of the ADR Notice.
- 14.2 The Dispute shall be finally resolved by arbitration proceedings in accordance with this agreement. No party may commence any arbitration proceedings under clause 14 in relation to the whole or part of the Dispute until 60 days after service of the ADR Notice, or if either party fails to participate or to continue to participate in the mediation before the expiration of the said period of 60 days, or the mediation terminates before the expiration of the said period of 60 days.
- 15. GENERAL**
- 15.1 Assignment and other dealings.
- 15.1.1 We may at any time assign, transfer, mortgage, charge, subcontract or deal in any other manner with all or any of Our rights or obligations under the Contract.
- 15.1.2 You may not assign, transfer, mortgage, charge, subcontract, declare a trust over or deal in any other manner with any or all of Your rights or obligations under the Contract without Our prior written consent.
- 15.2 Notices.
- 15.2.1 Any notice or other communication given to a party under or in connection with the Contract shall be in writing, addressed to that party at its registered office (if it is a company) or its principal place of business (in any other case) or such other address as that party may have specified to the other party in writing in accordance with this clause, and shall be delivered personally, sent by pre-paid first class post or other next working day delivery service, commercial courier, or e-mail.
- 15.2.2 A notice or other communication shall be deemed to have been received: if delivered personally, when left at the address referred to in clause 15.2.1; if sent by pre-paid first class post or other next working day delivery service, at 9.00 am GMT on the second Business Day after posting; if delivered by commercial courier, on the date and at the time that the courier's delivery receipt is signed; or e-mail, one Business Day after transmission.
- 15.2.3 The provisions of this clause shall not apply to the service of any proceedings or other documents in any legal action.
- 15.3 Severance.
- 15.3.1 If any provision or part-provision of the Contract is or becomes invalid, illegal or unenforceable, it shall be deemed modified to the minimum extent necessary to make it valid, legal and enforceable. If such modification is not possible, the relevant provision or part-provision shall be deemed deleted. Any modification to or deletion of



a provision or part-provision under this clause shall not affect the validity and enforceability of the rest of the Contract.

15.3.2 If any provision or part-provision of this Contract is invalid, illegal or unenforceable, the parties shall negotiate in good faith to amend such provision so that, as amended, it is legal, valid and enforceable, and, to the greatest extent possible, achieves the intended commercial result of the original provision.

15.4 Waiver. A waiver of any right or remedy under the Contract or law is only effective if given in writing and shall not be deemed a waiver of any subsequent breach or default. No failure or delay by a party to exercise any right or remedy provided under the Contract or by law shall constitute a waiver of that or any other right or remedy, nor shall it prevent or restrict the further exercise of that or any other right or remedy. No single or partial exercise of such right or remedy shall prevent or restrict the further exercise of that or any other right or remedy.

15.5 Third party rights. A person who is not a party to the Contract shall not have any rights to enforce its terms.

15.6 Variation. Except as set out in these Terms, no variation of the Contract, including the introduction of any additional terms and conditions, shall be effective unless it is in writing and signed by Us.

15.7 Governing law. The Contract, and any dispute or claim arising out of or in connection with it or its subject matter or formation (including non-contractual disputes or claims), shall be governed by, and construed in accordance with the law of England and Wales.

#### Schedule 1

##### Warranty Terms

#### 1. INTERPRETATION

1.1 Definitions. In these Warranty Terms, the following definitions apply:

##### Business Day

A day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

##### Delivery Terms

Our delivery terms and conditions as amended from time to time.

##### Goods

The goods (or any part of them), including Spare Parts, manufactured by Precision and bearing a Precision model number and serial number.

##### Month

A calendar month.

##### Precision/We/Us/Our

Precision Refrigeration Limited of Stephenson Way, Theford, Norfolk, IP24 3RU.

##### Spare Part

any replacement original part or component used to maintain or repair Our Goods.

##### Specification

Any specification for the Goods, including any related plans and drawings, that is agreed by You and Us.

##### Terms and Conditions

Our terms and conditions, as amended from time to time.

##### UK Orders

Orders for Goods which are to be delivered to and for use in mainland United Kingdom

##### You/Your

The person or firm who purchases the Goods from Us or an authorised third party distributor.

##### Warranty Terms

The warranty terms and conditions set out in this document as amended from time to time.

1.2 Unless overridden within these Warranty Terms, all terms contained in the Terms and Conditions and Delivery Terms shall apply.

#### 2. WARRANTY

2.1 Our warranty applies to Our Goods, unless otherwise specified in writing.

2.2 Subject to clause 3, for UK Orders only, We warrant that on delivery, and for a period of 24 months from the date of delivery (warranty period), the Goods shall:

2.2.1 conform in all material respects with their description and any applicable Specification;

2.2.2 be free from material defects in design, material and workmanship; and

2.2.3 be of satisfactory quality (within the meaning of the Sale of Goods Act 1979).

2.3 Subject to the provisions set out in clause 3, if:

2.3.1 You give notice in writing to Us during the warranty period within the time scales set out in clause 3.3 that some or all of the Goods do not comply with the warranty set out in clause 2.2

2.3.2 We are given a reasonable opportunity of examining such Goods; and

2.3.3 You (if asked to do so by Us) return such Goods to Our place of business at Your cost; We shall, at Our option, repair or replace the defective Goods, or refund the price of the defective Goods in full.

2.4 We shall determine the cause and liability for the Goods' failure to comply with the warranty set out in clause 2.2.

2.5 We shall at Our discretion perform a test, inspection or other examination of the Goods. If the Goods satisfy such test, inspection or examination they shall be deemed to be of the quality as set out in clause 2.2.

2.6 These Warranty Terms shall apply to any repaired or replacement Goods supplied by Us.

2.7 No other warranty as to fitness for particular purpose, even if such purpose is known to Us, or of satisfactory quality shall apply to the supply of Goods by Us.

#### 3. EXCEPTIONS

3.1 Except as provided in clause 2 We shall have no liability to You in respect of the Goods' failure to comply with the warranty set out in clause 2.2.

3.2 These Warranty Terms apply solely to Goods located in mainland United Kingdom.

3.3 We shall not be liable for defects, damage or deterioration in the Goods unless You give written notice to Us of the alleged defects within 10 Business Days from the date of discovery. On being so notified We shall have the right to inspect the Goods before You use or sell them in the ordinary course of Your business provided that We do so within 14 Business Days of receipt of notice from You.

3.4 We shall not be liable for Goods' failure to comply with the warranty set out in clause 2.2 in any of the following events:

3.4.1 the damage, defect or deterioration arises in respect of consumable items including, but not limited to, lights and gaskets;

3.4.2 You make any further use of such Goods after giving notice in accordance with clause 3.3;

3.4.3 the defect arises because You failed to follow Our oral or written instructions as to the storage, commissioning, installation, use and maintenance of the Goods or (if there are none) good trade practice regarding the same;

3.4.4 the defect arises as a result of Us following any drawing, design or Specification supplied by You;

3.4.5 You alter or repair such Goods, or authorise a third party to alter or repair such Goods,

without Our written consent;

3.4.6 the defect arises as a result of accidental damage, fair wear and tear, wilful damage, negligence, or abnormal storage or working conditions;

3.4.7 the Goods differ from their description as a result of changes made to ensure they comply with applicable statutory or regulatory requirements;

3.4.8 the damage, defect or deterioration arises as a result of fire, lightning, flood or act of God;

3.4.9 the damage, defect or deterioration arises as a result of failure to maintain and service the Goods in accordance with Our operating manuals, as supplied with the Goods on delivery;

3.4.10 the damage, defect or deterioration arises as a result of repairs made using Spare Parts which were not manufactured by Us; or

3.4.11 the Goods are second hand.

3.5 The terms implied by sections 13 to 15 of the Sale of Goods Act 1979 are, to the fullest extent permitted by law, excluded from the Warranty Terms.

3.6 We are not responsible for any loss relating to food or other contents stored in Our Goods.

#### 4. WARRANTY CLAIM

4.1 If You wish to make a warranty claim You must:

4.1.1 Contact Us on +44 (0)1842753994;

4.1.2 Provide Us with the equipment model and serial number;

4.1.3 Provide Us with the location of the machine and site contact details;

4.1.4 Provide Us with a description of the fault.

#### 5. GENERAL

5.1 We aim to respond to all warranty claims on the next Business Day or as soon as is reasonably practicable.

5.2 Warranty work will be carried out by Us during Our normal business hours (8.30am – 5pm, Monday – Friday). Work carried out outside of these times is chargeable to You, subject to quotation and order.

5.3 Contents risk and insurance remains Your responsibility at all times.

5.4 An extended warranty period may be agreed in writing between You and Us at additional cost to You.

#### 6. DELIVERY

6.1 You are responsible for any delivery costs associated with returning the Goods to us.

6.2 If Goods are being returned to Us for breach of the warranty in clause 2.2 where We are liable for the same, We shall be responsible for any delivery costs in returning the Goods to You, if applicable.

6.3 We shall not be responsible for any incidental or consequential damage whatsoever.

#### Schedule 2

##### Delivery Terms

#### 1. INTERPRETATION

1.1 Definitions. In these Delivery Terms, the following definitions apply:

##### Business Day

A day (other than a Saturday, Sunday or public holiday) when banks in London are open for business.

##### Contract

The contract between Us and You for the sale and purchase of the Goods in accordance with the Terms and Conditions.

##### Customer/You/Your

The person or firm who orders or agrees to purchase the Goods from Us.

##### Delivery Terms

The delivery terms and conditions set out in this document as amended from time to time.

#### Force Majeure Event

Has the meaning given in clause 4.

#### Goods

The goods (or any part of them), including Spare Parts, as set out in the Order.

#### Kerbside

External areas with clear access and no parking or other restrictions.

#### Month

A calendar month.

#### Order

Your order for the Goods, as set out in Your purchase order form, or Your written acceptance of Our quotation, as the case may be.

#### Precision/We/Us/Our

Precision Refrigeration Limited of Stephenson Way, Thetford, Norfolk, IP24 3RU.

#### Product

Each individual item which comprises the Goods.

#### Spare Part

Any replacement original part or component used to maintain or repair Our Goods.

#### Specific Day Delivery

Has the meaning given in clause 2.3.

#### Specific Timed Delivery

has the meaning given in clause 2.2.

#### Standard Delivery

Has the meaning given in clause 2.1

#### UK Orders

Orders for Goods which are to be delivered to and for use in mainland United Kingdom.

#### Terms and Conditions

Our terms and conditions, as amended from time to time.

#### Warranty Terms

Our warranty terms and conditions as amended from time to time.

1.2 Unless overridden within these Delivery Terms, all terms contained in the Terms and Conditions and Warranty Terms shall apply.

## 2. DELIVERY OPTIONS

2.1 Standard Delivery (Within a 3-5 Business Day Window)

2.1.1 Subject to clause 2.1.7, Orders placed for Standard Delivery will be delivered within 3-5 Business Days of the week commencing date quoted on our written sales order confirmation.

2.1.2 Subject to clauses 2.1.3 - 2.1.6, Standard Delivery for UK Orders shall be free of charge.

2.1.3 Standard Delivery applies only to ground floor sites.

2.1.4 Standard Delivery applies only to deliveries to Kerbside and does not include installation or positioning on site.

2.1.5 Standard Delivery shall exclude any locations not in UK Mainland.

2.1.6 Delivery to the locations set out in clause 2.1.5, as amended from time to time, shall be subject to quotation by Us and shall be agreed by Us in writing.

2.1.7 Standard Delivery shall be subject to availability of Products and transport. Time shall not be of the essence.

2.2 Specific Timed Delivery

2.2.1 Subject to clauses 2.2.3 – 2.2.5, Specific Timed Delivery shall be subject to

quotation by Us and agreed by Us in writing.

2.2.3 Specific Timed Delivery applies only to ground floor sites.

2.2.4 Specific Timed Delivery applies only to deliveries to Kerbside and does not include installation or positioning on site.

2.2.5 Specific Timed Delivery shall exclude any location not in UK Mainland

2.2.6 Delivery to the locations set out in clause 2.2.4, as amended from time to time, shall be subject to quotation by Us and shall be agreed by Us in writing.

2.2.7 Specific Timed Delivery shall be subject to availability of Products and transport. Time shall not be of the essence.

2.3 Specific Day Delivery

2.3.1 Specific Day Delivery shall be subject to quotation by Us and agreed by Us in writing.

2.3.2 Specific Day Delivery applies only to ground floor sites.

2.3.3 Specific Day Delivery applies only to deliveries to Kerbside and does not include installation or positioning on site.

2.3.4 Specific Day Delivery shall be subject to availability of Products and transport. Time shall not be of the essence.

2.4 Unpacking and installation of the Goods shall be charged at £180 +VAT per Product.

2.5 Kerbside collection of a like for like existing Product upon delivery of a Product shall be charged at £125+VAT.

2.6 If You postpone or cancel Your delivery, You may incur a penalty subject to a minimum fee of £220+VAT per Product at Our discretion.

2.7 Palletisation. Increased packaging suitable for trans-shipping shall be charged at £125+VAT per Product

2.8 Full wooden crates. Deep sea crating suitable for air freight or LCL shipments shall be charged at £360 per crate for crates up to 1000 x 1000 and £540 per crate for larger crates.

2.9 Spare Parts

2.9.1 UK Orders for Spare Parts shall be sent by a next Business Day courier service, provided that the Order is placed by 1pm GMT, and provided that the part is in stock.

2.9.2 If an Order for Spare Parts is placed after 1pm GMT, the Spare Part shall be sent by a next Business Day delivery courier service on the next Business Day, provided that the part is in stock.

2.9.3 If an Order for Spare Parts is placed and the part is not in stock, You will be notified of this in writing and the part will be delivered as soon as is reasonably practicable.

2.7.4 Costs for delivery of Spare Parts shall be subject to quotation.

## 3. GENERAL DELIVERY TERMS

3.1 Each delivery of Goods shall be accompanied by a delivery note which shows all relevant Customer and Supplier reference numbers, the type and quantity of the Goods (including the code number of the Goods, where applicable), special storage instructions (if any) and, if the Order is being delivered by instalments, the outstanding balance of Goods remaining to be delivered.

3.2 We shall deliver the Goods to the location set out in the Order or such other location as the parties may agree (Delivery Location) at any time after We notify You that the Goods are ready.

3.3 Delivery of the Goods shall be completed on the Goods' arrival at the Delivery

Location.

3.4 You shall be responsible for ensuring that You have sufficient resources and manpower at the Delivery Location, at Your own risk and cost.

3.5 If You require notification in advance of the arrival time of the Goods, this must be stated in the Order and agreed by Us in advance in writing.

3.6 Any dates quoted for delivery are approximate only, and the time of delivery is not of the essence unless specified in writing. We shall not be liable for any delay in delivery of the Goods, or failure to deliver the Goods, that is caused by a Force Majeure Event or Your failure to provide Us with adequate delivery instructions or any other instructions that are relevant to the supply of the Goods, or if You fail to notify Us in writing within 6 days of receipt of an invoice.

3.7 We may deliver the Goods in separate deliveries, which shall be invoiced and paid for separately. Each individual delivery shall constitute a separate Contract. Any delay in delivery or defect in any one delivery shall not entitle You to cancel any other instalment.

3.8 Without prejudice to any other of Our rights hereunder, if at the quoted date of delivery all instructions reasonably required by Us and all necessary documents for the forwarding of the Goods are not available, if You shall otherwise cause or request delay, or if You are unable or unwilling to accept delivery of the Goods, You shall pay to Us on demand all storage, delivery and other relevant costs.

3.9 Unless otherwise agreed between the parties in writing, all costs and expenses of transportation from Our stores to the Delivery Location shall be paid for by You in accordance with Our standard delivery charges as in force at the time of delivery.

3.10 You are responsible for any delivery costs associated with returning the Goods to us under the Warranty Terms.

3.11 If Goods are being returned to Us for breach of the warranty where We are liable for the same, as set out in the Warranty Terms, We shall be responsible for any delivery costs in returning the Goods to You, if applicable.

3.12 We shall not be responsible for any incidental or consequential damage whatsoever.

3.13 Standard delivery price includes foam corners and stretch wrap suitable for direct mainland deliveries.

## 4. FORCE MAJEURE

We shall not be liable for any failure or delay in performing Our obligations under the Contract to the extent that such failure or delay is caused by a Force Majeure Event. A Force Majeure Event means any event beyond a party's reasonable control, which by its nature could not have been foreseen, or, if it could have been foreseen, was unavoidable, including strikes, lock-outs or other industrial disputes (whether involving its own workforce or a third party's), failure of energy sources or transport network, acts of God, war, terrorism, riot, civil commotion, interference by civil or military authorities, national or international calamity, armed conflict, malicious damage, breakdown of plant or machinery, nuclear, chemical or biological contamination, sonic boom, explosions, collapse of building structures, fires, floods, storms, earthquakes, loss at sea, epidemics or similar events, natural disasters or extreme adverse weather conditions, or default of suppliers or subcontractors.





# **precision** refrigeration



Precision Refrigeration Limited  
Stephenson Way  
Thetford  
Norfolk IP24 3RU  
United Kingdom

+44 (0)1842 753 994  
[sales@precision-refrigeration.com](mailto:sales@precision-refrigeration.com)

[precision-refrigeration.com](http://precision-refrigeration.com)

v4